



Ronlon Diamond Tools CO., LTD
瑞朗金刚石工具有限公司

Address: Room Building1 08 shuxiang Park. Xixian District, Xian, China

Tel: 0086-0917-5550884 Fax: 0086-0917-5550884

Cell Phone: 0086-18292079229


Website: www.ronlon.com

E-mail: sales@ronlon.com

Professional Grade Tools For Concrete

Concrete Grinding Tools


Picture	Item Number	Comodity	Description
	RL001	TRAPEZOID Metal Bond Grinding Pad 10mm	<p>Designed to smooth rough patched surfaces. The trapezoid is a very aggressive segment that easily attaches to the seg plate. Grinds down bumps & rough joints. Can be used on many types of surfaces. For example: patios, warehouses, factory floors, and walkways.</p> <p>These segments are 10x10mm for much longer life and are available in soft, medium & hard bonds.</p>
	RL002	V SEG TRAPEZOID Metal Bond Grinding Pad 10mm	<p>Designed to smooth rough patched surfaces. The trapezoid is a very aggressive segment that easily attaches to the seg plate. Grinds down bumps & rough joints. Can be used on many types of surfaces. For example: patios, warehouses, factory floors, and walkways.</p> <p>These segments are 10x10mm for much longer life and are available in soft, medium & hard bonds.</p>



	<p>RL003</p>	<p>Rhombus TRAPEZOID Metal Bond Grinding Pad 10mm</p>	<p>This Rhombus pattern segment plate Is 15% more aggressive on some tenacious coatings compared to the PCD Trapezoid. The Rhombus trapezoid plate is imbedded with poly crystalline diamonds which are ideal for fast coating removal. The replacement hole pattern fits most universal plates.</p>
	<p>RL004</p>	<p>ARROW TRAPEZOID Metal Bond Grinding Pad 10mm</p>	<p>This arrow pattern segment plate Is 15% more aggressive on some tenacious coatings compared to the PCD Trapezoid. The arrow trapezoid plate is imbedded with poly crystalline diamonds which are ideal for fast coating removal. The replacement hole pattern fits most universal plates.</p>
	<p>RL005</p>	<p>Column TRAPEZOID Metal Bond Grinding Pad 10mm</p>	<p>Designed to smooth rough patched surfaces. The trapezoid is a very aggressive segment that easily attaches to the seg plate. Grinds down bumps & rough joints. Can be used on many types of surfaces. For example: patios, warehouses, factory floors, and walkways. These segments are 10x10mm for much longer life and are available in soft, medium & hard bonds.</p>



	<p>RL006</p>	<p>10 SEG Metal grinding pad 10mm</p>	<p>Excellent scratch pattern for old & new concrete Easy tool changes Long lasting durability Use wet or dry 10mm thickness Available with hook & loop backing or pin Fits many popular machines</p>
	<p>RL007</p>	<p>ARROW SEG Metal grinding pad 10mm</p>	<p>This arrow shape segment metal grinding disc is used for aggressive removal applications. The wide gaps between segments offer more of a cutting edge and will not load or gum up as much. The arrow shape is perfect for all coatings such as epoxy, urethane paint, mastic and other similar coatings. Can be used with plug adapters available separately.</p>
	<p>RL008</p>	<p>TURBO SEG Cup Wheel</p>	<p>Use our turbo segment grinding cup for heavy grinding applications and for the first steps in the polishing process. The multi segment design will provide better weight distribution for heavier machines and give you longer life. Can be used with plug adapters available separately.</p>
	<p>RL009</p>	<p>Coating removal tooling 10mm</p>	<p>This two bar segment plate is embedded with poly crystalline diamonds which are ideal for fast removal of thin coatings and can be used for the first steps in polishing. The replacement hole pattern fits most universal plates.</p>
	<p>RL010</p>	<p>Heavy Duty full Round PCD Grinding Tool</p>	<p>For removal of glue, epoxy, VCT mastic and other coatings on floor. Followed with 6 grit or 16 grit metal bond diamond wheel.</p>

	RL011	Heavy Duty 2 X 1/4 Round PCD Grinding Tool with block	
	RL012	Heavy Duty 2 X 1/4 Round PCD Grinding Tool	
	RL013	PCD cup wheel	
	RL014	Adjustable Trapezoid PCD grinder full set (Half Round)	


Concrete Polishing Tools

Picture	Item Number	Comodity	Description
	RLPC000	Flexible grinding disc with velcro-good chip removal capacity Grit:#30,#50,#100,#200,#400	
	RLPC001	Flexible Metal Bond Grinding Pad Grit:#30,#50,#100,#200,#400 (dry use)	Our Metal Pad is much faster and has a longer life. No scratch on surface at rough grit. Also you can make any kind of attachment, like velcro back up, and 5/8-11 thread, etc. Compare our new metal pad with any vitrified pad and any resin floor polishing pad.
	PLPC002	Flexible Resin-Pregnant Diamond Metal Chips Polishing Pads Grit:#30,#50,#100,#200,#400 (wet use)	Sintered metal bonded with Rubber backer pad backed applied to quickly remove stock. They are available from #30, #50, #100,#200 to #400 .

	RLPC003	Rose-type concrete polishing pad with metal mill grain. (dry use)	Rose-type concrete polishing pad with metal mill grain. Long life, good abrasion resistance. Used for dry application and gloss. Easy maintenance.
	RLPC004	Metal-chip polishing pad (dry use)	For concrete & portland based terrazzo opening cut Use for opening steps on uncoated concrete Excellent scratch pattern for old or new concrete Use dry Velcro backed, for easy tool change Diamonds set in metal-bond & resin-bond 8MM thickness
	RLPC005	3" Rough cut pad with metal segmentt. Grit: 30 50 100 200 400	1.Designed for polishing concrete and stones 2.Aggressive and fast 3.Available in 80mm 4.Grits : #50 #100 #200 5.Wet or dry use
	RLPC007	Six post polishing pad Rein bond with velcro Grit: 50#-100#-200#-400#-800#-1500#-3000#	
	RLPC008	4 Dot polishing pad for concrete Grit: 50#-100#-200#-400#-800#-1500#-3000#	Resin bond floor polishing pad. Big features for customers used to running post style diamond tools under the planetary head floor machine.
	RLPC009	6 Dot polishing pad for concrete Grit: 50#-100#-200#-400#-800#-1500#-3000#	
	RLPC010	Resin bonded X-pattern polishing pad Grit: 50#-100#-200#-400#-800#-1500#-3000# (dry use)	Resin bonded x-pattern polishing pad for concrete floor. The 10mm thick resin bond floor polishing pad is specially designed for dry polishing of concrete floors or stone maintenance. Easily glides over lippage. The perfect grinding and abrasive polishing tool that fits most universal concrete floor machines. Use wet or dry.

	<p>RLPC011</p>	<p>Resin bonded box-pattern polishing pad Grit: 50#-100#-200#-400#-800#-1500#-3000# (dry use)</p>	<p>Resin bonded box-pattern polishing pad for concrete floor. A 3” resin bond floor polishing pad is specially engineered for dry polishing concrete. This thick pad is designed for long life and high gloss finishes. Glides easily over lippage. Will run on Klindex and other planetary floor machines. Use wet or dry.</p>
	<p>RLPC012</p>	<p>COPPER PAD Grit: 50#-100#-200#-400# (dry use)</p>	<p>Premium polishing pads that are very durable and provide top performance for a crystal smooth finish. These pads are very flexible even after continual use.</p>
	<p>RLPC013</p>	<p>Flexible Resin-Pregnant Diamond Metal Chips Polishing Pads Grit: 50#-100#-200#-400# (dry use)</p>	<p>For improving the efficiency to quickly remove stock and for increasing the durable life of pad set significantly, we innovate resin-metal-bond polishing pads, available from 30#, 50# 100#,200# to 400#, and available both by wet and by dry. They are made from pregnant diamond metal chips with unique resin bond. They are heat compressed into a mould. This is a new kind of high capability pads welcomed by our consumers with very much interest. They can be applied to excellent fabrication of marble, concrete, terrazzo, and granite .</p>
	<p>RLPC014</p>	<p>Flexible Diamond Resin Pads Grit: 50#-100#-200#-400#-800#-1500#-3000# (dry use)</p>	<p>The extra thick Pads are designed for a highly lustrous polish. Very flexible for long life over flat and intricate surfaces. Color coded for grit identification</p>
	<p>RLPC015</p>	<p>Triangular Electroplated pad for concrete dry used</p>	<p>1.Diamonds never fall off the surface of sheet. 2.Easy to be curved and flexible Work great on natural stone and concrete. Preferred for marble and soft stone. It can be used for dry polishing</p>
	<p>RLPC016</p>	<p>Round Electroplated pad for concrete 60# 120# 200# 400#</p>	<p>Designed for grinding of previously leveled stone materials, mould and other material. Velcro backed 3", 4", 5",6",7". Available in the grits in mesh: 60, 120, 200, 400 etc. made from superior diamond, it has long lifespan and has better heat-resistance. Occasionally, it can be used for dry polishing.</p>

Accessories

	R001	Gloss Meter	<p>Technical Parameters: Indicating range: 0-199 Gauge extent: 9x18mm Displayed value error: $\leq \pm 2$ Point value: 1.0 Zero error: Automatic correction Degree of stability: ≤ 1.0 Power supply: DC2.4V DC/AC Weight: 380/g</p>
	R002	King Metal Adapter Plate	
	R003	HTC Metal Adapter Plate	
	R004	3" Quick exchange plate with velcro	
	R005	3" Quick exchange plate with three holes	
	R006	PLASTIC BACKER 5/8-11 4" 100MM	
		PLASTIC BACKER 5/8-11 5" 125MM	
	R007	RUB, 4" 100MM , HARD	
		RUB, 4" 100MM , MID	
		RUB, 4" 100MM , FLEX	
		RUB, 5" 125MM , HARD	
		RUB, 5" 125MM , MID	
		RUB, 5" 125MM , FLEX	

	R008	RUB, 4" 100MM , FLEX	
		RUB, 5" 125MM , FLEX	
	R009	ALU, 4" 100MM , HARD	
		ALU, 5" 125MM , HARD	